

Acrylic Bullet Resistant



UL LEVEL 1 - Acrylic MP 1.25 BR SHEET

Protects against handguns of medium power, such as the 9mm and Super 38 Automatics— any handgun with a muzzle energy of 380 to 460 foot-pounds.

UL LEVEL 2 - Acrylic HP 1.25 BR SHEET

Thin, light protection against high-power handguns, such as the .357 Magnum or other guns with a muzzle energy of 548 to 663 foot-pounds.

UL LEVEL 3 - Acrylic SP 1.25 BR SHEET

Ballistics protection against all handguns, including super power guns such as the .44 Magnum. Exceeds criteria within UL Level 3 requirements.

UL LEVEL 6 - Acrylic SMG 1.25 BR SHEET

Multiple shot protection from a submachine gun, such as a 9mm Uzi, and exceeding criteria within UL Level 6 requirements.

TECHNICAL PROPERTIES

	MP 1.25 LEVEL 1	HP 1.25 LEVEL 2	SP 1.25 LEVEL 3	SMG 1.25 LEVEL 6
Protection	9 mm	.357 Magnum	.44 Magnum	Submachine Gun / Uzi
Optical Properties	Transmission > 90% Haze < 1%	Transmission > 90% Haze < 1%	Transmission > 85% Haze < 1.5%	Transmission > 85% Haze < 1.5%
UL Designation	752, Level 1	752, Level 3	752, Level 3	752, Level 6
Thickness	1.25"	1.378"	1.25"	1.25"
Weight	7.7 lbs. / sq. ft.	8.5 lbs. / sq. ft.	7.7 lbs. / sq. ft.	7.7 lbs. / sq. ft.
SAR Coating	Optional	Standard	Standard	Standard

These data are presented only as typical properties of the base resins which, to our best knowledge, are true and accurate. However, since conditions of use are beyond our control, all recommendations or suggestions are presented without guaranty or responsibility on our part. We disclaim all liability in connection with the use of information contained herein or otherwise. All risks of such use are assumed by the user. Furthermore, nothing contained herein shall be construed as an inducement or recommendation to use any process or to manufacture or use any product in conflict with existing or future patents.